



J&M Window Door Inc.

COMMERCIAL DOORS & WINDOWS MANUFACTURER

Tel:215-728-1267 Fax:215-728-7307

SMS:267-888-8648

Email: jmwindowdoors@gmail.com

4302 E Roosevelt Blvd, Philadelphia, PA 19124



- Storefront Supply
- Roll Up Gate Supply
- Metal Work Supply
- Shower Door Supply
- Aluminum Awning Supply

Follow us on:

 @jmwindowdoors

 @Jmwindowdoor

Industrial Supply Catalog



Company Profile

J&M Window Door is a privately owned windows and doors manufacturer, located on Roosevelt Boulevard in Philadelphia. We manufacture storefronts, folding doors, rolling gates, shower doors, aluminum railings, as well as stock an array of steel pipes, tubes, angles, channels, panels, aluminum profiles and door hardware. Our products can be utilized across a multitude of applications, ranging from commercial properties such as hotels, apartments, stores to residential properties.

Our mission is to provide innovative and high-performance products to fulfill all commercial and residential needs. We are committed to producing competitively priced high-quality products in a timely matter whilst ensuring that we are meeting and exceeding our customer's expectations.


J&M Window Door was initially a construction company, so our knowledge and expertise in the field established a high standard by which all our products are measured by. With our advanced technology along with digital display CNC machine, Cutter milling machine & Crimping machine, we are well equipped with a full range of capabilities to produce premium products. We are continuously upgrading and refining our processes to provide our customers further effectively with exceptional service and products. We hope to not just be your supplier, but rather your longtime partner.

Thank you for choosing J&M Window Door.

Production Equipment

we are well equipped with a full range of capabilities to produce premium products





Storefront Supply

Alnmium Profiles	01-04
Stock Alumiunm Doors	05-06
Architectural Panel Glass & Acrylic	07-08
Handle	09
Door Hardware	10-12
Hardware & Accessories	13-15



Roll Up Gate Supply

Electrical Part	16-18
Mechanical Part	19-23
Accessories	24-25



Metal Work Supply

Steel & Metals	26-27
Design & Accessories	28-32



Shower Door Supply

Stock Shower Door	33
Hardware & Accessories	34



Awning Material Supply

35

Storefront Supply

Aluminum Profiles

Tel: (215) 728-1267

Fax: (215) 728-7307

SMS: (267) 888-8648











Email: jmwindowdoors@gmail.com









Fin, Flat Tube, Angle & Channel

Sectional View	Description	Length	Color	Item No.
	1 3/4" x 4" Single Fin	23'10"	Silver/Black	JM4001
	1 3/4" x 4" Double Fin	23'10"	Silver/Black	JM4002
	1 3/4" x 4" Door Jamb W/ Strip	23'10"	Silver/Black	JM4003
	1 3/4" x 4" Door Jamb W/ Strip & Single fin	23'10"	Silver/Black	JM4004
	1/2" Glass Molding	23'10"	Silver/Black	JM4005
	1 3/4" x 1 3/4" Square Tube	23'10"	Silver/Black	JM4006
	4" x 4" Square Tube	23'10"	Silver/Black	JM4007
	1 3/4" x 4" Rectangle Tube	23'10"	Silver/Black	JM4008
	1 3/4" x 4 1/2" Rectangle Tube	23'10"	Silver/Black	JM4009
	2" x 4 1/2" Rectangle Tube	23'10"	Silver/Black	JM4010
	4 1/2" Saddle	23'10"	Silver/Black	JM4011
	1" x 1" Alum Angle	15 ft	Silver/Black	JM4012
	1 1/2" x 1 1/2" Alum Angle	15 ft	Silver/Black	JM4013
	1 3/4" x 1 3/4" Alum Angle	15 ft	Silver/Black	JM4014
	1/4" J-Channel	12 ft	Chrome	JM4015
	3/8" U-Channel	12 ft	Chrome/Brushed nickel	JM4016
	1/2" U-Channel	12 ft	Chrome/Brushed nickel	JM4017
	3/4" U-Channel	19 ft	Silver/Black	JM4018
	1" U-Channel	19 ft	Silver/Black	JM4019
	1 1/4" U-Channel	19 ft	Black	JM4020


JM-50 Series Center Glaze Systems 1 ¾"x4 ½" Alumiumn profiles for 1/4" Glass

Sectional View	Description	Length	Color	Item No.
	Double Pocket, Closed Back W/ Screw Spline	23'10"	Silver/Black	JM5001
	Sill Closed Back W/ Screw Spline	23'10"	Silver/Black	JM5002
	Single Pocket, Closed Back W/O Screw Spline	23'10"	Silver/Black	JM5003
	Single Pocket, Open Back W/O Screw Spline	23'10"	Silver/Black	JM5004
	Single Pocket, Open Back W/ Screw Spline	23'10"	Silver/Black	JM5005
	Sill, Opened Back W/ Screw Spline	23'10"	Silver/Black	JM5006
	4 1/2" High Sill	23'10"	Silver/Black	JM5007
	Half Corner W/ 2 Pockets	23'10"	Silver/Black	JM5008
	Half Corner W/ 1 Pocket	23'10"	Silver/Black	JM5009
	Half Corner W/O Pocket	23'10"	Silver/Black	JM5010
	135° Corner Mullion	23'10"	Silver/Black	JM5011
	Filler Open Back W/ Pocket	23'10"	Silver/Black	JM5012
	Filler Open Back W/O Pocket	23'10"	Silver/Black	JM5013
	Sill Cap	23'10"	Silver/Black	JM5014
	Snap-in Door Stop	23'10"	Silver/Black	JM5015
	Sill Shear Block		Silver	JM5016
	Head Shear Block		Silver	JM5017




JM-51 Series Center Glaze Systems 2"x4 ½" Alumiumn profiles for 1" Glass

Sectional View	Description	Length	Color	Item No.
	Double Pocket, Closed Back W/ Screw Spline	23'10"	Silver/Black	JM5101
	Sill Closed Back W/ Screw Spline	23'10"	Silver/Black	JM5102
	Single Pocket, Closed Back W/O Screw Spline	23'10"	Silver/Black	JM5103
	Single Pocket, Open Back W/O Screw Spline	23'10"	Silver/Black	JM5104
	Single Pocket, Open Back W/ Screw Spline	23'10"	Silver/Black	JM5105
	Sill, Opened Back W/ Screw Spline	23'10"	Silver/Black	JM5106
	4 1/2" High Sill	23'10"	Silver/Black	JM5107
	Half Corner W/ 2 Pockets	23'10"	Silver/Black	JM5108
	Half Corner W/ 1 Pocket	23'10"	Silver/Black	JM5109
	Half Corner W/O Pocket	23'10"	Silver/Black	JM5110
	135° Corner Mullion	23'10"	Silver/Black	JM5111
	Filler Open Back W/ Pocket	23'10"	Silver/Black	JM5112
	Filler Open Back W/O Pocket	23'10"	Silver/Black	JM5113
	Sill Cap	23'10"	Silver/Black	JM5114
	Snap-in Door Stop	23'10"	Silver/Black	JM5115
	Sill Shear Block		Silver	JM5116
	Head Shear Block		Silver	JM5117

JM-51T Series Thermal Break Central Glaze System 2"x4 1/2" Alumiumn profiles for 1" Glass

Sectional View	Description	Length	Color	Item No.	Sectional View	Description	Length	Color	Item No.
	Single Pocket: Open Back W/ Screw Spline	23'10"	Silver/ Black	JM51T1		Filler Open Back W/Pocket	23'10"	Silver/ Black	JM51T3
	Sill Closed Back W/ Screw Spline	23'10"	Silver/ Black	JM51T2		Filler Open Back W/O Pocket	23'10"	Silver/ Black	JM51T4

Door Extrusions

Sectional View	Description	Length	Color	Item No.	Sectional View	Description	Length	Color	Item No.
	2 1/8"VERTICAL STILE	14'4"	Silver/ Black	JM4021		5"BOTTOM RAIL	14'4"	Silver/Black	JM4034
	2" VERTICAL STILE (LOCK)	14'4"	Silver/ Black	JM4022		7 1/2"BOTTOM RAIL	14'4"	Silver/Black	JM4035
	2 1/8"VERTICAL STILE (FLUSH-BOLT)	14'4"	Silver/ Black	JM4023		10"BOTTOM RAIL	16ft	Silver/Black	JM4036
	3 1/2"VERTICAL STILE	14'4"	Silver/ Black	JM4024		1 1/2"MIDDLE RAIL	16ft	Silver/Black	JM4037
	3 1/2"VERTICAL STILE (LOCK)	14'4"	Silver/ Black	JM4025		1/4"GLAZING BEAD (1/2"HING)	19ft	Silver/Black	JM4038
	3 1/2"VERTICAL STILE (FLUSH-BOLT)	14'4"	Silver/ Black	JM4026		1"GLAZING BEAD (3/4"HING)	23'8"	Silver/Black	JM4039
	2 1/8"TOP RAIL	14'4"	Silver/ Black	JM4030		WEATHER STRIP CAP	14'4"	Silver/Black	JM4040
	3 1/2"TOP RAIL	14'4"	Silver/ Black	JM4031		TOP FRAME FOR HERCULITE DOOR	23'10"	Silver/Black	JM4041
	4"BOTTOM RAIL	14'4"	Silver/ Black	JM4033		FILLER OF TOP FRAME FOR HERCULITE DOOR	23'10"	Silver/Black	JM4042

Standard D200 Narrow Stile
Door without Frame

Details:
Door: 2-1/8" side & vertical stile, 4" bottom rail
Lock: Standard mortise deadbolt lock (with both sides key cylinders)
Handle: Standard plated style pull handle & push bar set Flush bolts on inactive door, lock on active door



Product	Door Size	Color	Hinge	LH/RH	Item No.
Single Door	36" x 84"	Silver	Pivot Hinge	LH	NDS3684PL
				RH	NDS3684PR
		Black	Butt Hinge	LH	NDS3684BL
				RH	NDS3684BR
	42" x 84"	Silver	Pivot Hinge	LH	NDB3684PL
				RH	NDB3684PR
		Black	Butt Hinge	LH	NDB3684BL
				RH	NDB3684BR
Double Door	72" x 84"	Silver	Pivot Hinge	R Side Active	NDS7284P
			Butt Hinge	R Side Active	NDS7284B
		Black	Pivot Hinge	R Side Active	NDB7284P
			Butt Hinge	R Side Active	NDB7284B

Standard D350 Medium Stile
Door without Frame



Details:

Door: 3-1/2" side & vertical stile, 5" bottom rail

Lock: Standard mortise deadbolt lock (with both sides key cylinders)

Handle: Standard 12" back to back round pull handle
Flush bolts on inactive door, lock on active door



Butt Hinge



Handle



Deadbolt Lock




Key Cylinder

Product	Door Size	Color	Hinge	LH/RH	Item No.
Single Door	36" x 84"	Silver	Butt Hinge	LH	MDS3684BL
				RH	MDS3684BR
		Black	Butt Hinge	LH	MDB3684BL
				RH	MDB3684BR
	36" x 96"	Silver	Butt Hinge	LH	MDS3696BL
				RH	MDS3696BR
		Black	Butt Hinge	LH	MDB3696BL
				RH	MDB3696BR
Double Door	42" x 84"	Silver	Butt Hinge	LH	MDS4284BL
				RH	MDS4284BR
		Black	Butt Hinge	LH	MDB4284BL
				RH	MDB4284BR
	72" x 84"	Silver	Butt Hinge	R Side Active	MDS7284B
		Black	Butt Hinge	R Side Active	MDB7284B
	72" x 96"	Silver	Butt Hinge	R Side Active	MDS7296B
		Black	Butt Hinge	R Side Active	MDB7296B

Architectural Panel & Stock Door Glass

Aluminum Panel



Description	Size	Color	Item No.
Double Face Smooth	1/4"x4'x8'	Silver/Black	PDSM48
Double Face Smooth	1/4"x4'x10'	Silver/Black	PDSM410
Insulated Double face Smooth	1"x4'x8'	Silver/Black	P1DSM48
Insulated Double face Smooth	1"x4'x10'	Silver/Black	P1DSM410

Aluminum Sheet



Description	Size	Color	Item No.
.032 Aluminum Sheet	.032"x4'x8'	Silver/Black	AS48
.032 Aluminum Sheet	.032"x4'x10'	Silver/Black	AS410

Stock Door Glass



Description	Item No.
31 1/4" x 76 5/8 " (1/4" clear tempered glass for 3' x 7' narrow stile door)	DGN3X7
28 1/2" x 74 1/2 " (1/4" clear tempered glass for 3' x 7' medium stile door)	DGM3X7
28 1/2" x 86 1/2 " (1/4" clear tempered glass for 3' x 8' medium stile door)	DGM3X8
37 1/4" x 76 3/4" (1/4" clear tempered glass for 42" x 7' narrow stile door)	DGN42X7
34 3/8" x 74 3/8 " (1/4" clear tempered glass for 42" x 7' medium stile door)	DGM42X7
35 3/4" x 77 1/8 " (1/2" clear tempered glass for herculite door, 2 Long polished, W/ 2 holes Hole-to-hole spacing is 12")	DGA3X7

Custom Glass

Type	Thickness	Annealed	Tempered
Clear glass	1/8"	✓	N/A
	3/16"	✓	✓
	1/4"	✓	✓
	3/8"	✓	✓
	1/2"	✓	✓
	5/8"	✓	✓
	3/4"	✓	✓
Insulated glass unit	1/8" clear over 1/8" clear	✓	N/A
	3/16" clear over 3/16" clear	✓	✓
	3/16" clear over 3/16" low E	✓	✓
	1/4" clear over 1/4" clear	✓	✓
	1/4" clear over 1/4" low E	✓	✓
	1/4" clear over 1/4" bronze	✓	✓
	1/4" clear over 1/4" gray	✓	✓
Laminated glass	1/4" clear	✓	N/A
Clear starphire low iron glass	1/4"	✓	✓
	3/8"	✓	✓
	1/2"	✓	✓
	5/8"	✓	✓
	3/4"	✓	✓
Acid etch glass	1/4"	✓	✓
	3/8"	✓	✓
	1/2"	✓	✓
Starphire acid etch glass	1/4"	✓	✓
	3/8"	✓	✓
	1/2"	✓	✓
Low E glass	3/16"	✓	✓
	1/4"	✓	✓
Clear mirror	1/8"	✓	N/A
	3/16"	✓	N/A
	1/4"	✓	N/A
Clear starphire mirror	1/4"	✓	N/A
One way mirror	1/4"	✓	✓

Clear Acrylic Sheet



Size	Item No.
1/8"x4'x8'	18CA4x8
1/4"x4'x8'	14CA4x8
3/8"x4'x8'	38CA4x8
1/2"x4'x8'	12CA4x8
3/4"x4'x8'	34CA4x8
1"x4'x8'	1CA4x8
1-1/4"x4'x8'	125CA4x8

Clear Lexan Polycarbonate Sheet




Size	Item No.
1/4"x4'x8'	14Lx4x8
3/8"x4'x8'	38Lx4x8
1/2"x4'x8'	12Lx4x8
3/4"x4'x8'	34Lx4x8

Ladder Pull Handle



Description	Material	Color	Item No.
24" ladder style pull	Stainless Steel	Chrome/Brushed nickel	LSH24
36" ladder style pull	Stainless Steel	Chrome/Brushed nickel	LSH36
48" ladder style pull	Stainless Steel	Chrome/Brushed nickel	LSH48
60" ladder style pull	Stainless Steel	Chrome/Brushed nickel	LSH60
72" ladder style pull	Stainless Steel	Chrome/Brushed nickel	LSH72

Offset Mount Mid-post for Ladder Pulls



Description	Color	Item No.
Offset mount mid-post for ladder pulls	Chrome	OSMP

12" Back to Back Round Pull Handle



Material	Color	Item No.
Aluminum	Silver / Black	OSDP

12"&33" Round Pull Handle & Push Bar Set




Material	Color	Item No.
Aluminum	Silver / Black	PBPH

Plated style pull handle & push bar set




Material	Color	Item No.
Aluminum	Silver / Black	PSPHPB

Deadbolt Lock



Description	Item No.
1-1/8" Backset for narrow stile door	DBLN
1-1/2" Backset for medium stile door	DBLM

Deadbolt Hook Lock



Description	Item No.
1-1/8" Backset for narrow stile door	DHLN
1-1/2" Backset for medium stile door	DHLM

Deadlatch Lock



Description	Item No.
1-1/8" Backset for narrow stile door	DLLN
1-1/2" Backset for medium stile door	DLLM

Lock Cover



Description	Item No.
Silver / Black	AFFP

Panic Exit Device



Description	Item No.
36" Long, silver / Black	MPB1

Paddle Handle



DESC	Item No.
Silver / Black LH/RH	PPH1

Lever Handle



DESC	Item No.
Silver / Black LH/RH	DLH1

Key Cylinder



Color	Item No.
Silver / Black	CLD1

Thumbturn Cylinder



Color	Item No.
Silver / Black	TTC1

CRP Series 500 Door Closer



Color	Item No.
Silver / Black	DCS1

Overhead concealed door closer 3000



Color	Item No.
Silver / Black	DC3T

Electric lock



Description	Item No.
12V DC Fail-Secure	ELEBZS

Transformer for Electric Strike



Description	Item No.
16Volt 10 Watt	TRSF18

Electric Magnetic Lock



Description	Item No.
Lifting: 1200lbs	MLST1200U

Transformer for Electric Magnetic Lock



Voltage	Item No.
12V	ST125TR24

Receiver & 2 remote controls



Description	Item No.
Receiver & 2 remote controls	RVARMFBZ

Remote Control



Description	Item No.
Remote Control	RMFBZ

Push Button




Description	Item No.
Push Button	PUBT1

Full Mortise Continuous Hinge



Description	Item No.
7'Full mortise continuous hinge	FCH7
8'Full mortise continuous hinge	FCH8

Surface Continuous Hinge



Description	Item No.
7'Surface Continuous hinge	SCH7
8'Surface Continuous hinge	SCH8

Butt Hinge



Description	Item No.
Silver / Black	BTTH

Hinge Back-Up Plate



Description	Item No.
Zinc Plated	HBUP

Pivot Hinge



Description	Item No.
Silver / Black	OPVH

Flush Bolt



Description	Item No.
Flush Bolt	FEB2508

Door Chain




Description	Item No.
Door Chain	CCNB

Door Holder



Description	Item No.
Silver / Black	HDSNH

Door Sweep



Description	Item No.
36"Long	ADSP

Door Pile Weather Strip



Description	Item No.
Door Pile Weather Strip	WTSTP

Threshold Clip



Description	Item No.
Threshold Clip	TSCP

Conical Spring



Description	Item No.
Conical Spring	CSPR

45 Drill Jig Tool



Description	Item No.
Zinc Plated	DJIG45

40 Drill Jig Tool



Description	Item No.
Zinc Plated	DJIG40

Connector



Description	Item No.
Zinc Plated	SFBK

Glass Suction Cup



Description	Item No.
Others	GSUC

Silicone Sealant



Description	Item No.
Clear/white/black/sliver	SILICN




Description	Item No.
Clear/white/black/sliver	SILICN2

Glazing Rubber



Description	Item No.
250ft	GLAZRB

Rubber Setting Block



Description	Item No.
1/2"x1-1/8"x4"	RSBS

Caulk Gun




Item No.
CALKGN1




Item No.
CALKGN2

Single Track 7001



Description	Item No.
12ft Long	ST7001

Double Track 7002




Description	Item No.
12ft Long	DT7002

Carrier 7000 Ball Bearing



Description	Item No.
Zine Plated	C7000BB

Speak-Thru



Description	Item No.
5-5/16"	834A

Money Tray



Fit over	Item No.
W 6" x L 8"	MNTY68
W 8" x L 8"	MNTY88
W 8" x L 10"	MNTY810
W 9" x L 10"	MNTY910

Acrylic Adhesive Tube



Description	Item No.
5 Fl.Oz	ACADSV1

Acrylic Adhesive Can



Description	Item No.
4 Fl.Oz	ACADSV2

Applicator bottle with needle



Item No.
AAABWN

Piano Hinge Screw



Description	Item No.
12-24x1-2 U.C(Al.Bz)	JMS1

3" Hex Hinge Screw



Description	Item No.
Self-tapping 14	JMS4

Connector Screw 2



Description	Item No.
10-24 x 1-2(Al.Bz)	JMS8

Molding Screw



Description	Item No.
6AX1(Al.Bz)	JMS9

Truss Hinge Screw 2



Description	Item No.
12x1-4	JMS5

3" Flat Hinge Screw



Description	Item No.
12X2 1-2 flat PH SMS 2N	JMS3



Description	Item No.
Self-drilling 10	JMS6

Anchor



Description	Item No.
3/8"x1-7/8"	HSA3813
3/8"x3"	HSA3830
1/2"x2-1/4"	HSA1221
1/2"x3"	HSA1230
5/8"x3"	HSA5830
5/8"x4-1/4"	HSA5841
5/8"x6"	HSA5860


Central Motor



- Product Features:
- Can be used with Φ 200-260 mm spring
 - Optional electromagnetic brake for door opening in case of emergency or power failure
 - Easy installation without the use of crowns and adapters
 - The receiver is combined with the motor control circuit, and the transmitter is used to control the motor

Description	Item No.
110 V, 60 Hz, Lifting: 396 lbs	SCMT100

Central Double Motor



- Product Features:
- Can be used with Φ 200-260 mm spring
 - Optional electromagnetic brake for door opening in case of emergency or power failure
 - Easy installation without the use of crowns and adapters
 - The receiver is combined with the motor control circuit, and the transmitter is used to control the motor

Description	Item No.
110 V, 60 Hz, Lifting: 793 lbs	DCMT150

Central Motor Receiver with 2 Remote Controls



Description	Item No.
Up to 60 remotes can be connected	CMRARM

Central Motor Remote Control



Description	Item No.
Repeat procedure for further transmitters	CMRMCT

Commercial Motor




- The working environment and working conditions of the motor:
- Ambient temperature varies with seasons
 - Ambient temperature: -15 °C — 45 °C
 - 90% relative humidity (25 °C)
 - Short-time working system, continuous operation time: no more than 7 minutes

Details:

Single phase
AMPS: 6.5A
R.P.M: 5.6r/min
Input Power: 813W
Rated Load: 600kg
Rated Torque: 412N.m
Lifting Height: 6m

Description	Item No.
110 V, 60 Hz Lifting: 1200 lbs	CMT200

Heavy Duty Commercial Motor



- The working environment and working conditions of the motor:
- Ambient temperature varies with seasons
 - Ambient temperature: -15 °C — 45 °C
 - 90% relative humidity (25 °C)
 - Short-time working system, continuous operation time: no more than 10 minutes

Details:

Three phase
AMPS: 8.2A
R.P.M: 6.8r/min
Input Power: 1940W
Rated Load: 1500kg
Rated Torque: 1617N.m
Lifting Height: 8m

Description	Item No.
220 V, 60 Hz, Lifting: 3300 lbs	HDCMT300

Commercial Motor Receiver with 2 Remote Controls




Description	Item No.
Up to 100 remotes can be connected	CMTRARM

Commercial Motor Reemote Control




Description	Item No.
Repeat procedure for further transmitters	CMTRC

Motor Side Plate & Chain



Description	Item No.
W 16-1/2" x L 24" x H 3"	CMSPAC

Motor Cover



Description	Item No.
W10"xL22"xH16"	MTCV200

Key Switch without Stop



Description	Item No.
W 4-1/4" x L 4-1/2" x H 3-1/2"	KSWOSP

Key Switch with Stop



Description	Item No.
W 4-1/4" x L 4-1/2" x H 3-1/2"	KWSWS

Reflective Photocell Sensor



Description	Item No.
W 4-1/2" x L 6-1/8" x H 2"	RPCSS

Push Button 2



Description	Item No.
W 2" x L 2-3/8" x H 4-1/4"	PB02

Push Button 3



Description	Item No.
W 2" x L 2-3/8" x H 5-1/2"	PB03

Plastic Push Button with Wire



Description	Item No.
Come with 6ft Wire	PPB04

Security Cable



Description	Item No.
500ft long, 22GA shielded stranded conductors. 4 CCA-conductor round stranded station wire.	SC906897

Disc Padlock System



Description	Item No.
Zinc Plated	DPLSYS

Disc Padlock



Description	Item No.
Stainless Steel	DPLK

Ear-Shoe



Description	Item No.
Zinc Plated	EAR01

Lifting Handle



Description	Item No.
Zinc Plated	LFTHD

Round Lock System



Description	Item No.
Zinc Plated	RLSYS

Round Solid Steel Lock



Description	Item No.
Stainless Steel	RSSLK

Pin-Lock



Description	Item No.
Zinc Plated	PIN01

Track



Description	Item No.
14GA, 24ftLong 1/4"Double Round Return	TRK01

Large Slide Bolt



Description	Item No.
Zinc Plated	LSB

Stopper Set



Description	Item No.
Zinc Plated	STPS01

Stopper Bar



Description	Item No.
Zinc Plated	LSB

Grease



Description	Item No.
5 Gallon	GRS01

Heavy Duty Chain Hoist System



Description	Item No.
1-1/4" Hole, 48 teeth, 1/4" Key-way	HDCHSYS

Chain Hoist System



Item No.
CHSYS

16" Hex Bracket for Chain Hoist System



Description	Item No.
1-1/4" Hole for bearing	HBKFCHS

Double Bottom Bar without Rubber



Description	Item No.
Bottom Bar: Galvanized Return Angle: 2" x 2" Steel Angle	DBMBWOR

Double Bottom Bar with Rubber



Description	Item No.
Bottom Bar: Galvanized Return Angle: 2" x 2" Steel Angle	DBMBWR

Single Bottom Bar



Description	Item No.
Galvanized	SBMB

Rubber for Bottom Bar



Description	Item No.
Sold by length	RFBMB

Torsion Spring



Size	Description	Item No.
0.375 (Red)	3" Inside Diameter, for 4" Pipe, 52" Long	TORSPR1
0.406 (White)	3" Inside Diameter, for 4" Pipe, 52" Long	TORSPR2
0.421 (Gold)	3" Inside Diameter, for 4" Pipe, 52" Long	TORSPR3
0.437 (Blue)	3" Inside Diameter, for 4" Pipe, 52" Long	TORSPR4
0.468 (Green)	3" Inside Diameter, for 4" Pipe, 52" Long	TORSPR5

Band Spring



Lifting	Size	Item No.
42 lbs	45 x 1.2	BDSPR1
51 lbs	50 x 1.2	BDSPR2
59 lbs	55 x 1.2	BDSPR3
66 lbs	60 x 1.2	BDSPR4
77 lbs	60 x 1.3	BDSPR5
86 lbs	60 x 1.4	BDSPR6
110 lbs	60 x 1.6	BDSPR7

Spring Box



Outside Diameter	Description	Item No.
8"	For 2"φ pipe	8SPRBX
9-1/2"	For 2-1/2"φ pipe	95SPRBX1
9-1/2"	For 3"φ pipe	95SPRBX2

Spring Holder



Description	Item No.
Zinc Plated	SPRHD

Collars



Pipe Size	Description	Item No.
4"	4-3/8" Hole, Come with screw & washer	4PPCL
6"	6-1/2" Hole, Come with screw & washer	6PPCL

Casting




Pipe Size	Hole	Description	Item No.
4"	1-1/4"φ	Shaft Insert & Pipe Insert	4PPCT125
6"	1-1/4"φ	Shaft Insert & Pipe Insert	6PPCT125
6"	1-1/2"φ	Shaft Insert & Pipe Insert	6PPCT150

Hex Gate Cover



Size	Length	Item No.
15"	120"	15HGCV
16"	120"	16HGCV

Hex End Bracket



Size	Hole	Item No.
15"	1" φ (For central motor cable)	15HEBK
16"	1-1/4" φ	16HEBK

Bearing




Pipe Size	Hole	Description	Item No.
4"	1-1/4"φ	4-1/2"	4PPBR125
6"	1-1/4"φ	6-1/2"	6PPBR125
6"	1-1/2"φ	6-1/2"	6PPBR150

Tension Gear




Hole	Description	Item No.
1-1/4"φ	Included Solid Steel Bar	TSGR125
1-1/2"φ	Included Solid Steel Bar	TSGR150

Square Gate Cover



Size	Length	Item No.
14"	120"	14SGCV
15"	120"	15SGCV
16"	120"	16SGCV
18"	120"	18SGCV
20"	120"	20SGCV

Square End Bracket



Size	Hole	Item No.
14"	1" φ (For central motor cable)	14SEBK
15"	1" φ (For central motor cable)	15SEBK
16"	1-1/4" φ	16SEBK
18"	1-1/4" φ	18SEBK
20"	1-1/2" φ	20SEBK

Washer



Hole	Outside Diameter	Item No.
1-1/4"	4"	125WS400
1-1/4"	4-1/2"	125WS450
1-1/2"	6"	150WS600
1-1/2"	6-1/2"	150WS650

Solid Shaft








Outside Diameter	Length	Item No.
1-1/4"	30"	125SDSF30
1-1/4"	12 ft	125SDSF12
1-1/2"	30"	150SDSF30
1-1/2"	12 ft	150SDSF12

16" Hex End Bracket with Bearing



Description	Item No.
Hole: 1-1/4" φ Bearing OD: 6-1/2"	16HEBWB

Slat



Number	Description	Item No.
1	4" Curve Solid Slat	4CSS01
2	4" Curve Slat with Holes	4CSSWH02
3	4" Curve Perforated Slat	4CPS03
4	3" Flat Solid Slat	3FSS04
5	3" Flat Perforated Slat	3FPS05
6	3" Curve Solid Slat	3CSS06
7	3" Curve Perforated Slat	3CPS07

End Lock



Description	Item No.
For 3" flat slat	ELF3FS
For 3" curve slat	ELF3CS
For 4" curve slat	ELF4CS

Rivet



Description	Item No.
190 pcs/bag	RIVET1

Plastic Tubing



Description	Item No.
Black color	PSTBB
Silver color	PSTBS

Strapping Tape



Description	Item No.
For slat	STRPTP

Aluminum Links



Description	Item No.
40 pcs/bag	ALUMLK

Steel Angle



Size	Thickness	Length	Item No.
1" x 1"	1/8"	20'	ANG1x1x20
1-1/4" x 1-1/4"	1/8"	20'	ANG125x125x20
1-1/2" x 1-1/2"	1/8"	20'	ANG150x150x20
2" x 2"	1/8"	20'	ANG2x2x20
2" x 3"	3/16"	20'	ANG2x3x20
3" x 3"	3/16"	20'	ANG3x3x20
3" x 4"	1/4"	20'	ANG3x4x20

Steel Square Tube



Size	Thickness	Length	Item No.
3/4" x 3/4"	16GA	20'	SQT75x75x20
1" x 1"	16GA	24'	SQT1x1x24
1-1/4" x 1-1/4"	14GA	24'	SQT125x125x24
1-1/2" x 1-1/2"	16GA	24'	SQT150x150x24
2" x 2"	14GA	24'	SQT2x2x24
3" x 3"	1/8"	24'	SQT3x3x24
4" x 4"	3/16"	24'	SQT4x4x24

Steel Pipe



Size	Thickness	Length	Item No.
1-1/4" (1.66" OD)	SCH10	21'	SPd125S10x21
2" (2.375" OD)	SCH10	19'	SPd2S10x19
2" (2.375" OD)	SCH10	21'	SPd2S10x21
2" (2.375" OD)	SCH40	21'	SPd2S40x21
3" (3.50" OD)	SCH10	21'	SPd3S10x21
4" (4.50" OD)	SCH10	19'	SPd4S10x19
4" (4.50" OD)	SCH10	21'	SPd4S10x21
4" (4.50" OD)	SCH40	21'	SPd4S40x21

Steel Flat Bar



Size	DESC	Length	Item No.
1/8" x 1/2"	Hot Roll	20'	SFB181220
1/8" x 1"	Hot Roll	20'	SFB18120
1/8" x 1-1/4"	Hot Roll	20'	SFB1812520
3/8" x 1-1/2"	Hot Roll	20'	SFB3815020
1/4" x 1"	Hot Roll	20'	SFB14120
3/16" x 1"	Hot Roll	20'	SFB316120

Steel Rectangle Tube



Size	Thickness	Length	Item No.
1" x 1-1/2"	14GA	24'	SRT115024
1" x 2"	14GA	24'	SRT1224

Steel U Channel



Size	Length	Item No.
1" Channel	20'	SUC1W020
1" Channel with holes	20'	SUC1W20
10" STR Channel	20'	SUC10STR20

Steel Sheet



Thickness	Size	DESC	Item No.
11GA (1/8")	4' x 10'	Hot Roll	SS11GAT4x10
12GA	4' x 10'	Hot Roll	SS12GAT4x10
14GA	4' x 10'	Hot Roll	SS14GAT4x10
16GA	4' x 10'	Hot Roll	SS16GAT4x10
3/16"	4' x 10'	Hot Roll	SS316T4x10

Steel Square Solid Bar



Size	DESC	Length	Item No.
1/2"	Hot Roll	20'	SQSLB1220

Steel Toprail



Description	WT/FT	Length	Item No.
Top Rail	1.27	20'	STR12720

1-1/2" Galvanized Type-B Decking



Size	Thickness	Item No.
36" x 230.3"	21GA	GTPBDK36230

Steel Round Solid Bar



Size	DESC	Length	Item No.
5/16"	Hot Roll	20'	SRSLB51620
1/4"	Hot Roll	20'	SRSLB1420

Galvanized Square Tube



Size	Thickness	Length	Item No.
2" x 2"	16GA	230"	GST22230
3" x 3"	1/8"	230"	GST33230

Galvanized Sheet



Size	Thickness	Item No.
41" x 120"	22GA	GNS41120

Steel Diamond Plate



Thickness	Size	Item No.
1/8"	4' x 8'	SDP18T4x8
3/16"	4' x 10'	SDP316T4x10

Steel Diamond Stair Tread



Size	Item No.
W 36" x D 10" x Thick 1/8"	SDT-36

Expanded Metal



Size	Description	Item No.
4' x 8'	3/4 #9 expanded steel	9SEPM344x8

Aluminum Ornamental Design



Fit Over	Description	Item No.
1/2"	W 7-1/2" x H 13 1/4"	10-500A



Fit Over	Description	Item No.
1/2"	W 2-7/8" x H 2-7/8"	10-573A
1/2"	W 3-7/8" x H 3-7/8"	10-574A

Cast Iron Decorative Spear



Fit Over	Description	Item No.
1/2"	W 1-3/8" x H 4-1/4"	8-150



Fit Over	Description	Item No.
1/2"	W 2-7/8" x H 5"	8-160

Cast Iron Ball Cap



Fit Over	Height	Ball Diameter	Item No.
2"	3-5/8"	1-13/16"	8-322
3"	4-3/8"	2-1/8"	8-333
4"	5-5/8"	2-3/4"	8-344

Pressed Steel Tubing Cap



Fit Over	Item No.
1" x 1"	8-111
1-1/4" x 1-1/4"	8-114
1-1/2" x 1-1/2"	8-115
2" x 2"	8-112
3" x 3"	8-133
4" x 4"	8-144

Cast Iron Baluster Collar



Fit Over	Description	Item No.
1/2"	W 1-11/16" x H 1-5/8"	15-12

Steel S Scroll



Material	Description	Item No.
1/8" x 1/2" Flat Bar	W 4" x H 9-7/8"	SCRL560

Steel Weldable Tab



Hole	Size	Thickness	Item No.
3/8"	W 2" x H 2-5/8"	1/8"	Tab-2



Hole	Size	Thickness	Item No.
3/8"	W 1" x H 2-3/8"	1/8"	TAB-3

45° Steel Pipe Elbow



Pipe Size	Outside Diameter	Inside Radius	Item No.
1-1/2"	1-7/8"	1.35"	6-150-45

90° Steel Pipe Elbow



Pipe Size	Outside Diameter	Inside Radius	Item No.
1-1/2"	1-7/8"	1.35"	6-150-9

Steel Pipe Shoe



Pipe Size	Item No.
1-1/2"	16-315

Steel Square Tube Shoe



Size	Base Size	Holes	Item No.
1"	4"	7/16"	93-100
1-1/4"	4"	7/16"	93-114
1-1/2"	4"	7/16"	93-115
2"	4"	7/16"	93-122-1

Steel Base Plate



Size	Thickness	Item No.
3" x 3"	5/32"	BP33
4" x 4"	5/32"	BP44
5" x 5"	1/4"	BP55
6" x 6"	1/4"	BP66
8" x 8"	1/4"	BP88

Steel Circle



Outside Diameter	Material	Item No.
3-15/16"	1/2" Square Solid Bar	16-440

Gate Latch



Size	Item No.
1-3/4" x 2-1/8"	7-12

Steel Weldable Hinge



Size	Item No.
2-1/4" x 3-1/2" x 0.086"	H352

Extra Heavy Duty Hinge



Size	Item No.
3" x 3" x 1/8"	H33EX
4" x 4" x 0.178"	H44EX
6" x 6" x 3/16"	H66EX

H Storm Door Hinge



Size	Item No.
7"	H20

Barrel Hinge



Size	Item No.
5"	H50
7"	H70

1" Wide Single Lock Box



Opening	Backset	Item No.
2-1/8"	2-3/8"	B-210

1" Wide Double Lock Box



Opening	Backset	Item No.
2-1/8"	2-3/8"	B-212

Mortise Lock Box without Bolt Guard



Size	Item No.
W 4" x H 7-1/4" x D 1"	B-304

Mortise Lock Box with Bolt Guard



Size	Item No.
W 4" x H 7-1/4" x D 1"	B-304 L/R

MARKS Mortise Lockset



Color	Description	Item No.
Polished Brass	Double Cylinder	22-AC
Satin Chrome	Double Cylinder	22-AC-SC

Knob/Rose Assembly Kit



Color	Description	Item No.
Polished Brass	For mortise lockset	KRAK3004

Double Cylinders



Color	Description	Item No.
Polished Brass	For mortise lockset	25-30

Thumbturn Cylinder



Color	Description	Item No.
Polished Brass	For single cylinder lockset	25-20

Window Clip



Description	Item No.
6 pcs/bag	516A

Rubber Guide Roller



Size	Item No.
W 3" x H 2-3/8"	RR-3
W 6" x H 2-3/8"	RR-6

V-Groove Wheel



Size	Item No.
OD 4" x W 1-1/2"	10-44

V-Groove Box



Size	Item No.
W 2" x L 5-1/2" x H 3"	10-44BX

Slide Gate Opener



Description	Item No.
110V, Max Gate Weight: 2600 lbs Come with 3 pcs track (each track 3ft long) & 2 remote controls	DCK-678

Remote Control for Slide Gate Opener



Size	Item No.
W 1-3/4" x L 2-3/4" x H 5/8"	RCFSGO

Track for Slide Gate



Size	Item No.
3 ft Long Come with screw	TFSG01

Heavy Duty Red PU Fixed Caster



Description	Item No.
Base size: 4-1/2" x 4", Load 550 lbs/ea	HDRFC

Heavy Duty Nylon Swivel Caster



Description	Item No.
Base size: 4-1/2" x 4", Load 550 lbs/ea	HDNSC

Low Gravity Nylon Swivel Caster



Description	Item No.
Base size: 4" x 4"	LGNSC

Welding Rod



Size	Item No.
2.5φ x 350mm, N.W. 5kg	E6013
3.2φ x 350mm, N.W. 5kg	E6010

Electrode Holder



Size	Item No.
11-1/2" Long	EH800A

Welding Helmet



Description	Item No.
Solar Power	WDHM01

Plasfic Welding Mask



Description	Item No.
Material: Plastic, Replaceable lens	WDMK02

Replacement Welding Lens



Color	Size	Item No.
Black	2" x 4-1/4" x 3/32"	RMWDL01
Light Green	2" x 4-1/4" x 1/16"	RMWDL02

Red Work Glove



Size	Item No.
Medium	WDGV03

Blue Work Glove



Size	Item No.
Medium	RWKGV04

Welding Glove



Size	Item No.
Large	BWKGV05

Soap Stone



Size	Item No.
W 3/8" x H 3/16" x Length 4"	SPSTN06

Cut-off Wheel



Hole	Outside Diameter	Item No.
5/8"	4"	JZCFW01
7/8"	4"	LESPOP1
7/8"	6"	JZCFW02
1"	14"	JZCFW03

Grind Wheel



Hole	Outside Diameter	Item No.
7/8"	4-1/2"	GDWL01

Bundle Sling



Size	Item No.
2" x 236" Long	LC2500daN

Paint Thinner



Description	Item No.
1 U.S. Gallon	32001

Paint



Color	Description	Item No.
Gloss Black	1 U.S. Gallon	H12-136248
Satin Black	1 U.S. Gallon	G07-133781
White	1 U.S. Gallon	G11-134217

Spray Paint



Color	Description	Item No.
Gloss Black	9 Oz.	SPPT01
Gray	9 Oz.	SPPT02
Satin Black	9 Oz.	SPPT03
Red	9 Oz.	SPPT04

Mini Paint Roller Frame



Description	Item No.
Size: 4" x 11"	MPRF01

Mini Paint Roller Foam



Description	Item No.
Size: 4"	MPRF02

Paint Brush



Description	Item No.
Size: 2" x 7-1/2"	PB2750



Opening Width	Opening Height	Color	Item No.
24 1/2"	72"	Chrome	SSD2472CH
24 1/2"	72"	Brushed Nickel	SSD2472BN
24 1/2"	72"	Matte Black	SSD2472MB
24 1/2"	76"	Chrome	SSD2476CH
24 1/2"	76"	Brushed Nickel	SSD2476BN
24 1/2"	76"	Matte Black	SSD2476MB
28 1/2"	76"	Chrome	SSD2876CH
28 1/2"	76"	Brushed Nickel	SSD2876BN
28 1/2"	76"	Matte Black	SSD2876MB

90° Shower Hinge



Color	Item No.
Chrome	PSH-107CH
Brushed Nickel	PSH-107BN
Matte Black	PSH-107MB

180° Shower Hinge




Color	Item No.
Chrome	PSH-103CH
Brushed Nickel	PSH-103BN
Matte Black	PSH-103MB

0° Glass Clip



Color	Item No.
Chrome	PGB-871CH
Brushed Nickel	PGB-871BN
Matte Black	PGB-871MB

90° Glass Clip



Color	Item No.
Chrome	PGB-872CH
Brushed Nickel	PGB-872BN
Matte Black	PGB-872MB

90° Top Glass Clip



Color	Item No.
Chrome	PGB-882CH
Brushed Nickel	PGB-882BN
Matte Black	PGB-882MB

6" Back to Back Pull Handle



Color	Item No.
Chrome	PDH-27BCH
Brushed Nickel	PDH-27BBN
Matte Black	PDH-27BMB

45° Wall to Glass Support Bar



Color	Item No.
Chrome	PSR-05CH
Brushed Nickel	PSR-05BN
Matte Black	PSR-05MB

180° H-Jamb for 3/8" Glass



Color	Length	Item No.
Clear	78"	PTS-001

Seal and Wipe for 3/8" Glass




Color	Length	Item No.
Clear	78"	PTS-004

Bottom Wipe for 3/8" Glass



Color	Length	Item No.
Clear	78"	PTS-007

U with 90° Vinyl Fin Seal for 3/8" Glass



Color	Length	Item No.
Clear	78"	PTS-008

Bulb Seal for 3/8" Glass




Color	Length	Item No.
Clear	78"	PCR-010

Aluminum Step Down Sheet




Color	Size	Item No.
White	31" x 24'	ASDSWT3124



Color	Size	Item No.
Ivory	31" x 24'	ASDSIV3124



Color	Size	Item No.
Gray	31" x 24'	ASDSGY3124



Color	Size	Item No.
Terra Cotta	31" x 24'	ASDSTC3124

Aluminum Fringe



Color	Length	Item No.
White	12'	AFWT12



Color	Length	Item No.
Ivory	12'	AFIV12



Color	Length	Item No.
Gray	12'	AFGY12



Color	Length	Item No.
Terra Cotta	12'	AFTC12

Hanging Bracket



Size	Item No.
1-1/2" x 1" x 3/4" (1-1/2" Wide)	38-5290

Center Support Brace



Size	Item No.
2-1/2" x 1-1/4" x 1"	38-5220

90° Corner Bracket



Size	Item No.
2-3/4" x 2-3/4"	38-5350

Hex Head Screw




Size	Item No.
1/4" x 1"	HHS01

Aluminum A-Beam



Color	Length	Item No.
White	20'	AABW20

Aluminum Hanging Angle




Color	Length	Item No.
White	20'	AHAW20

Aluminum Awning Tubing



Color	Size	Length	Item No.
White	1" x 1"	20'	AATW1x120

Aluminum U Awning Channel



Color	Length	Item No.
White	20'	AUACW20

Aluminum Z Bar



Color	Length	Item No.
White	20'	AZBW20